

ELECTRICAL COMPONENTS

TERMOSTATOS E INTERRUPTORES/ THERMOSTAT AND SWITCHES

1210510000

Reostato
12-24 V. 3 veloc. (0, 1, 2 Ohm.)
Swicht with resistance
12-24 V. 3 speed (0, 1, 2 Ohm.)



1210500000

Conmutador
12-24 V. 3 velocidades
Swicht
12-24 V. 3 speeds



1210030000

Termostato/interruptor
Bulbo 1.560 mm
Thermostat/Swicht
Capillary 1.560 mm



1262910000

Caja protección Termostato 2 piezas
Box protection. Two pieces
1210020000/0011420012



1263090000

Conjunto termostato con caja
Thermostat with box kit

0011420012

Termostato
Bulbo 1.200 mm
Thermostat
Capillary 1.200 mm



1210020000

Termostato
Bulbo 1.060 mm
Thermostat
Capillary 1.520 mm



1212510000

Botón mando
Control knob



1212990041

Termostato electrónico c/clema
Electronic thermostat with connection



1212990046

Termostato electrónico
Original Ford
Electronic thermostat
Original Ford

1210980056

Resistencia 4 posiciones
Resistor 4 position



1210980057

Resistencia 12 V. 3 velocidades
Resistor 12 V. 3 speeds



1210980059

Resistencia original Opel
Resistor original Opel

1210720000

Resistencia cerámica 100 Ohm
Resistor ceramic



1210980038

Resistencia 3 velocidades 12V
blindada 0,25 + 0,25
*Resistor 3 12V armoured
speeds 0,25 +0,25*



1210980037

Resistencia 3 velocidades 24V
blindada 0,75 + 0,75
*Resistor 3 24V armoured
speeds 0,75 +0,75*

1210640000

Resistencia 0,4+1,2 Ohm
Metálica
*Resistor 0,4+1,2 Ohm
Metalic*



1210690000

Resistencia 0,4+1,2 Ohm
Cerámica 100 mm
*Resistor 0,4+1,2 Ohm
Ceramic 100 mm*



ELECTRICAL COMPONENTS

MANDOS, CORTACIRCUITOS Y RELÉS / CONTROL SWITCHES, CIRCUIT BREAKERS AND RELAYS

1212990042

Botón aire / Air knob

1212990043

Placa aire / Plate Air Metal

1212990044

Botón temperatura / Knob temp.

1212990045

Placa temp. / Plate temp. Metal
Medidas / Measures 20x20 Ø12



1749010001

12 V. con fijación
12 V. with attaching

1749010000

12 V. sin fijación
12 V. without attaching

1749310001

24 V. con fijación
24 V. with attaching

1749310000

24 V. sin fijación
24 V. without attaching



1210980061

Fusible térmico 20 Amp.
Circuit breaker 20 Amp



INTERRUPTORES / SWITCHES

1210980050

Interruptor temperatura placa s/luz
Temp. Switch badge wo/light

1210980051

Interruptor aire con placa
Air switch with badge



1210980008

Lampara 12V./Light Bulb 12V.

1210980160

Lampara 24V./Light Bulb 24 V.



1210980071

Interruptor doble 12 V.
con luz A/A y recirculación
Double switch with A/C light
and recirculation



1210980012

Interruptor 12 V. con luz s/placa
Switch with light 12V. wo/dadge

1210980114

Interruptor 24 V. con luz s/placa
Switch with light 24V. wo/dadge

1210980020

Placa Temp./Badge Temp.

1212990001

Placa A. A./Badge A. A.



ELECTRICAL COMPONENTS

MOTORES ELÉCTRICOS/BLOWERS MOTOR

1211100000

3 velocidad 24V. Ø76x178 mm
3 speeds 4V. Ø76x178 mm
Eje/Shaft 32 mm



0110680000

3 velocidad 12V. Ø76x178 mm
3 speeds 12V. Ø76x178 mm
Eje/Shaft 32 mm

1211090000

Micromotor actuador trampilla 12V.
Flap door engine's actuator 12V.

1211250000

Micromotor actuador trampilla 24V.
Flap door engine's actuator 24V.



1211050000

1 velocidad 24V
Ø 89x350 mm
1 speed 24V
Ø 89x350 mm
Eje/Shaft 108x Ø 9.5 mm
Ventilado/Vented



1211190001

1 velocidad 12V Ø 76x137 mm
1 speeds 12V Ø 76x137 mm
Blindado/Non ventiled
Eje/Shaft 7,9xØ 35 mm
No ventilado/Non vented



1211040000

1 velocidad 12V/1 speed 12V
Ø 89x350 mm
Eje/Shaft 108x Ø 9.5 mm

1211010000

3 velocidades 12V. Ø76x260 mm
3 speeds 12V. Ø76x260 mm
Eje/Shaft 78 mm



121102 0000

3 velocidades 24V. Ø76x260 mm
3 speeds 24V. Ø76x260 mm
Eje/Shaft 78 mm



1211210000

1 vel. 12V. Ø76x152 mm
1 speeds 12V. Ø76x152 mm
Eje/Shaft 47 mm. Ventilado/Vented

1211220000

1 vel. 24V. Ø76x152 mm
1 speeds 24V. Ø76x152 mm
Eje/Shaft 47 mm. Ventilado/Vented

1211190000

1 velocidad 12V. Ø76x156 mm
1 speeds 12V. Ø76x156 mm
Eje/Shaft 25 mm
No ventilado/Non vented



121120 0000

1 velocidad 24V. Ø76x156 mm
1 speeds 24V. Ø76x156 mm
Eje/Shaft 25 mm
No ventilado/Non vented

1211230000

1 vel.12V. Ø76x216.
1 speeds 12V. Ø76x216
Eje/Shaft 47 mm. Ventilado/Vented



1211240000

1 vel. 24V. Ø76x216
1 speeds 24V. Ø76x216
Eje/Shaft 47 mm
No ventilado/Non vented